### CITY OF RIVERSIDE COUNCIL MEETING AGENDA RIVERSIDE CITY HALL COUNCIL CHAMBERS 60 N GREENE STREET

REGULAR MEETING Monday, October 21, 2019 – 6:30 P.M.

**NOTICE TO THE PUBLIC**: This is a meeting of the City Council to conduct the regular business of the City. Every item on the agenda is an item of discussion and action if needed.

- 1. Call meeting to order
- 2. Approval of agenda
- 3. Consent agenda
  - a. Minutes from 10-7-2019
  - b. Expenditures for 10-21-2019
- 4. Public forum: 3 minutes per person. See guidelines for public comments at the Clerk's table.
- 5. Thirsty Turkey Trot at Hall Park 11/29
- 6. People Services- Sept. Report pg. 10
- 7. Review of bids for sidewalk at water tower pg.19
- 8. Results from YMCA Summer Program by Amy Schulte pg.21
- 9. Highway 22 Project
  - a. Substantial Completion Date
- 10. Ash/Tupelo Project
  - a. Completion date for Project pg. 23
- 11. Safe Routes to School updated plan
- 12. Designate October 31, 2019 as Trick or Treat for the City
- 13. Updates on Council Work Session
- 14. City owned Commercial Property for Sale-listing with agent pg. 25
- 15. Possible Listing of City Owned Duplex for Sale pg. 26
- 16. Speed limits on Galileo, Cherry, and Ash Streets pg. 27
- 17. Public Hearing for Sale of Property
- 18. Resolution #102119-01 for Sale of Public Property pg. 29
- 19. Update on dog issue pg. 31
- 20. Discussion on City Staffing
- 21. Review of Agreement for Solid Waste and Recycling Collection Services pg. 32

### CITY OF RIVERSIDE COUNCIL MEETING AGENDA RIVERSIDE CITY HALL COUNCIL CHAMBERS 60 N GREENE STREET

- 22. Administrators Report
- 23. Mayor's Comments
- 24. City Council Comments
- 25. Closed session for employee review
- 26. Motion to adjourn

RIVERSIDE CITY COUNCIL MEETING: October 7, 2019

The Riverside City Council meeting opened at 6:30 pm in City Hall with Mayor Allen Schneider requesting roll call. Council members present were: Tom Sexton, Andy Rodgers, Bob Schneider Jr., Edgar McGuire, and Jeanine Redlinger.

Motion by Schneider to approve agenda. Second by McGuire, passed 5-0.

Rodgers moved to approve the minutes of September 16<sup>th</sup>, 2019, RACC beer permit for Fall Demo Derby, and expenditures, pulling Redlinger mileage for separate vote. Second by Redlinger, passed 5-0. Sexton moved to pay Redlinger mileage. Second by McGuire, passed 4-0 Redlinger abstained.

Xiomara Levsen, Advocate coordinator for Domestic Violence Intervention Program, presented information on the Washington County program. Redlinger read Mayor's Proclamation recognizing October as Domestic Violence Awareness Month.

Schneider moved to pass Resolution #100719-01; WCRF grant for drinking water fountain, with an installation cost of \$450. Second by Rodgers, passed 5-0.

Council listened to Citizen's comments on dog complaints from Schnoebelen Street.

Council was in recess from 7:25 to 7:57 p.m.

McGuire moved to have owners complete fence installation by 12/1/19, submit vaccination records, vets report, and a 3<sup>rd</sup> party analysis on temperament of dog. Second by Sexton, passed 5-0.

Scott Pottorff, MMS Consultants gave Capital Project updates.

McGuire moved to pass Resolution #100719-02, Approving Pay Request #9 to Triple B Construction for HWY 22 project in the amount of \$602,089.40. Second by Redlinger, passed 5-0.

McGuire moved to pass Resolution #100719-03, Approving Change Order #20 to Triple B Construction for HWY 22 project in the amount of \$4137.00, to fill in ditch and add storm sewer east of driveway at 275 W 1<sup>st</sup> Street. Home owner agrees to 50/50 cost share, and City liability release. Second by Schneider, passed 5-0.

Sexton moved to add beehive storm drain at 3<sup>rd</sup> and HWY 22 at cost of \$2650. Second by McGuire, passed 5-0.

Sexton moved to pass Resolution #100719-04, Approving Pay Request #3 to Cornerstone Excavating for Ash Street project in the amount of \$22,020.75. Second by Redlinger, passed 5-0.

Steve Smith, Johnson County Refuse, presented Cart System garbage and recycling proposal with options for Yard Waste Services, with a start date of December 1<sup>st</sup>, 2019. Schneider moved to proceed with contract. Second by Sexton, passed 5-0.

Redlinger moved to approve City Administrator attendance to IMFOA conference in Des Moines, October 16-18, 2019. Second by Schneider, passed 5-0.

Redlinger moved to approve the new street sign proposal from Iowa Prison Industries. Second by Rodgers, passed 5-0.

Rodgers moved to spend up to \$200 for fall flowers in planters. Second by Sexton, passed 5-0.

Council, Mayor, and Administrator comments were given.

Redlinger moved to adjourn at 9:34 p.m. Second by Rodgers, passed 5-0.

Full content of Council Meetings can be viewed on the City web site; www.cityofriversideiowa.com

Council Meeting – Monday, October 21st, 2019 at 6:30 p.m.

P&Z Meeting – Tuesday, October, 22<sup>nd</sup>, 2019 at 6:00 p.m.

ATTEST:

Becky LaRøche; City Clerk

Allen Schneider; Mayor

Aller Sch. L.

	EXPENDITURES 10-21-19	1					·
	COUNCIL MEETING	UNPAID BILLS:					
1	CASEYS	REPLACE LOST CK 4421	600-5-810-6374	\$	393.95		
	ECICOG	CODIFICATION	001-5-650-6499	\$	962.00		
	FERGUSON	2 GATEWAY COLLECTORS	600-5-810-6507	\$	5,785.72		
4	INSITE INSTRUMENT	SINGLE CHANNEL ANALYZER	600-5-810-6507	\$	1.549.00		
5	IOWA LEAGUE	IaCMA 2019-20 DUES	001-5-650-6210	\$	120.00		
6	IOWA CNE CALL	LOCATES	600-5-810-6507	\$	62.40		
7	IOWA CIVE CALL	EMAIL HOST	001-5-650-6497	\$	67.50	-	
	I-TECK	MONTHLY CHECK	001-5-650-6497	\$	225.00		***
9	KALONA AUTO	SHOP	001-5-210-6372	\$	43.76		1.40
	KALONA AUTO	RVFD	002-5-150-6352	\$	350.46	\$	394,22
10		FUEL	110-5-210-6331	\$	968.00	Ψ	00-1.22
	KALONA OIL COMPANY	SALT SHED	110-5-210-6335	\$	72.50	-	
	KALONA POST		110-5-210-6331		59.92		
	KALONA TIRE	TRACTOR TIRE/TUBE	001-5-430-6504	\$	100,31		
	KUENSTER PLUMBING	CON. STAND A/C REPAIR		\$	156.50		
15	LEAF	COPIER LEASE	001-5-650-6496	\$			
	MEARDON, SUEPPEL, DOWNER	LEGAL EXPENSE	001-5-640-6411	\$	1,220.00		
	MENARDS	SHOP	001-5-210-6372	\$	204.94		
	MENARDS	STREETS	110-5-210-6417	\$	46.10	•	005.00
	MENARDS	PARKS	001-5-430-6325	\$	44.82	\$	295.86
	MIDWEST FRAME	2017 CHEVY LEAF SPRING	110-5-210-6331	\$	615.27		
21	MIDWEST TREE SERVICE	10-14-19 PICK-UP	001-5-510-6320	\$	1,200.00		
22	MMS CUMSULTANTS	GENERAL	001-5-650-6407	\$	292.75		
	MMS CUMSULTANTS	HWY 22	301-5-750-6785	\$	6,595.59		
	MMS CUMSULTANTS	NORTHERN HEIGHTS	301-5-750-6784	\$	1,390.75		
	MMS CUMSULTANTS	ASH/TUPELO	301-5-750-6789	\$	7,186.84		
	MMS CUMSULTANTS	4TH STREET	301-5-750-6777	\$	2,858.20		
	NORTHLAND SECURITIES	4TH QTR 2019	001-5-650-6499	\$	1,500.00		
28	REC	SIGN	001-5-520-6510	\$	91.19		
29	REC	SEWER	610-5-815-6371	\$	3,719.70		
30	REC	SHOP	001-5-210-6371	\$	36.50		
31	REC	WATER PLANT	600-5-810-6371	\$	2,016.15		
32	REC	CASINO LIFT	610-5-815-6371	\$	219.15		
33	REC	TRAFIC LIGHT	001-5-230-6371	\$	164.57	\$	6,247.26
		3RD QTR GRANT	145-5-650-6413	\$	5,746.72	Ψ	0,211.20
	RIVERSIDE HISTORY CENTER	FD- FUEL	001-5-150-6350	\$	224.10		
35	RTM SOUNTINED ALLEN	MILEAGE, CONFERENCE,	001-5-610-6240	\$	268.32		
	SCHNEIDER, ALLEN	GOV.COM REGISTRATION	001-5-650-6494	\$	400.00	\$	668.32
36	SCHNEIDER, ALLEN SCHNOEBELEN INC	TRACTOR H HOSE	110-5-210-6331	\$	52.87	, T	000.02
	STANDARD PEST CONTROL	SEPT SERVICE	001-5-650-6310	\$	65.00		
37 38	SUPERIOR WELDING	RVFD	002-5-150-6356	\$	6.94		
39	US CELLULAR	RVFD	002-5-150-6332	\$	91.89		
	US CELLULAR	CITY HALL	001-5-650-6373	\$	48.68		
40		COLLECTORS	600-5-810-6373	\$	63.54		
41	VERIZON	U-STREAM	001-5-650-6497	\$	105.93		
42	VISA			-	46.33		
	VISA	CITY HALL	001-5-650-6310	\$	153.78		
44	VISA	PARKS-FUEL	001-5-650-6240	-	57.08	¢	363.12
45	VISA	ADMIN CONFERENCE		\$	23,876.00	Ψ	000.12
46	WASHINGTON CO. AUDITOR	4TH QTR LAW CONTRACT	001-5-110-6499	\$	10,000.00		
47	WASHINGTON YMCA	CAMP HIGHLAND	145-5-650-6421	\$			
	***************************************	TOTAL BILLS		\$	81,526.72		
			0 0100000	<del> </del>		-	
48	"001"	GENERAL FUND	\$ 31,675.06	ļ <u>.</u>			
49	"002"	FIRE DEPT.	\$ 449.29	-			
50	"110"	ROAD USE FUND	\$ 1,814.66	L			
51	"145"	CASINO FUNDS	\$ 15,746.72				
52	"301"	CAPITAL PROJECTS	\$ 18,031.38	<u> </u>		ļ	
53	"600"	WATER FUND	\$ 9,870.76				
54	"610"	SEWER FUND	\$ 3,938.85	<u> </u>			
55	"670"	LANDFILL	\$ -				
	*********	TOTAL EXPENDITURES BY FUND	3	\$	81,526.72		
		PAID BILLS:				L	
56	IOWA DEPT OF REVENUE	IOWA WITHHOLDINGS - 2019 SEPT	\$ 707.00			Ι	
57	IOWA DEPT OF REVENUE	IOWA SALES TAX - 2019 SEPT	\$ 1,493.00	i –			
58	IOWA DEPT OF REVENUE	IOWA WET TAX - 2019 SEPT	\$ 2,233.00				
		CONTRIBUTIONS - 2019 SEPT	\$ 3,926.07			i	
59	IPERS	941 TAX DEPOSIT - 2019 SEPT	\$ 5,663.32	<del> </del>			
		1 37 L 17V DLEVOH " 40 B 3EF 1		1		-	
60		DAVCHECKS 2010 SEDT	ት የ 10 28 / 21	1			
	PAYROLL 1ST NAT'L BANK	PAYCHECKS - 2019 SEPT HEALTH SAVINGS ACCOUNT	\$ 19,284.31 \$ 1,500.00		·	<u> </u>	

.0-04-2019 10:59 AM		1874 T	CITY OF RIVERSIDE MID TREASURERS REPORT	KSIDE			PAGE: 1
,			AS OF: AUGUST 31ST,	OI			
	BEGINNING	U-T-W	G-I-M	CASH BASIS	NET CHANGE	NET CHANGE	ACCRUAL ENDING
and	CASH BALANCE	REVENUES	EXPENSES	BALANCE	OTHER ASSETS	LIABILITIES	CASH BALANCE
001-GENERAL FUND	862,359.44	4,004.57	63,938.27	802,425.74	() 937.50)	2,591.30	805,954.54
002-FIRE DEPARTMENT	00.00	00.00	00.0	00.00	00.0	00.00	00.00
110-ROAD USE TAX	96,052.98	14,349.12	1,387.11	109,014.99	00.00	00.00	109,014.99
121-LOCAL OPTION SALES TAX	243,930.06	9,635.02	00.00	253,565.08	00.0	00.00	253,565.08
125-TIF	00.00	00.00	00.0	00.00	00.00	00.00	00.00
145-CASINO REVENUE FUND	567,968.57	98,637.23	8,067.58	658,538.22	00.00	00.00	658,538.22
200-DEBT SERVICE	00.00	00.00	00.00	00.00	00.00	00.0	00.00
301-CAPITAL PROJECTS	1,037,096.59	908,03	548,805.65	489,198.97	00.00	00.0	489,198.97
600-WATER FUND	373,450.69	49,778.82	21,034.43	402,195.08	00.00	00.00	402,195.08
610-SEWER FUND	180,824.80	37,550,21	20,621.43	197,753.58	00.00	00.00	197,753.58
670-LANDFILL/GARBAGE	9,437.49	1,897.16	1,874.25	9,460.40	00.00	00.00	9,460.40
680-STORM WATER	5,870.85	1,510.92	00.0	7,381.77	00.0	00.0	7,381.77
FRAND TOTAL	3,376,991.47	218,271.08	2/.82/,289	2,929,533.83	(03./50)	Z,591.30	2,933,062.63

\*\*\* END OF REPORT \*\*\*

2,933,062.63

2,933,062.63

443,928.84)

3,376,991.47

- POOLED CASH

DUE TO OTHER FUNDS

999-2100 DUE TO OTHER FUNDS TOTAL DUE TO OTHER FUNDS

	-					
10-04-2019 10:39 AM	CITY OF RIVERSIDE POOLED CASH REPORT (FUND 999) AS OF: AUGUST 31ST, 2019			PAGE:	$\leftarrow$	
FUND ACCOUNT# ACCOUNT NAME	BEGINNING BALANCE	CURRENT ACTIVITY	CURRENT BALANCE			
DIAIM ON CASH  D01-1110 CHECKING ACCT-GENERAL FUND D02-1110 CHECKING ACCT-FIRE DEP. 110-1110 CHECKING ACCT-ROAD USE TAX 121-1110 CHECKING ACCT-LOST 145-1110 CHECKING ACCT-CASINO REVENUE D00-1110 CHECKING ACCT-CASINO REVENUE S01-1110 CHECKING ACCT-CASINO REVENUE S01-1110 CHECKING ACCT-CAP PROJECTS 600-1110 CHECKING ACCT-WATER 670-1110 CHECKING ACCT-WATER 670-1110 CHECKING ACCT-GARBAGE 680-1110 CHECKING ACCT-GARBAGE 10TAL CLAIM ON CASH	862,359.44 ( 0.00 96,052.98 243,930.06 0.00 567,968.57 0.037,096.59 ( 373,450.69 180,824.80 9,437.49 5,870.85	56,404.90) 12,962.01 9,635.02 0.00 90,569.65 547,897.62) 28,744.39 16,928.78 16,928.78	805,954.54 0.00 109,014.99 253,565.08 0.00 658,538.22 0.00 489,198.97 402,195.08 197,753.58 9,460.40 7,381.77	×		
CASH IN BANK - POOLED CASH						
999-1110 CASH IN BANK 999-1112 PEOPLES BANK MONEY MARKET 999-1114 HILLS BANK 999-1115 CB FUND 969-1116 COMMUNITY BUILDING CD#18936 999-1117 COMMUNITY BUILDING CD#18975 999-1118 WATER RESERVES CD#921190 999-1119 COMMUNITY BUILDING CD#19068 SUBTOTAL CASH IN BANK - POOLED CASH	445,469.02 ( 1,992,367.34 ( 619.60   118,353.02 ( 289,714.52   280,467.97   250,000.00   3,376,991.47 (	394,617.07) 158,569.43) 15,588.73 117,925.40) 0.00 706.93 0.00 218,000.00	50,851.95 1,833,797.91 16,208.33 427.62 289,714.52 281,174.90 250,000.00 218,000.00			
WAGES PAYABLE 999-2010 WAGES PAYABLE SIRPOTAL WAGES PAYABLE	00.0	7,112.60	7,112.60			
IN BAN		8 8	62.			

L0-04-2019 10:39 AM	CITY OF RIVE POOLED CASH REPORT AS OF: AUGUST 3167,	RIVERSIDE ORT (FUND 999) 16T, 2019			PAGE: 2
TUND ACCOUNT# ACCOUNT NAME	BEG	BEGINNING BALANCE	CURRENT ACTIVITY	CURRENT BALANCE	
JUE TO POOLED CASH	:				
001-2020 ACCOUNTS PAYABLE 100-2020 ACCOUNTS PAYABLE 1210-2020 ACCOUNTS PAYABLE 121-2020 ACCOUNTS PAYABLE 125-2020 ACCOUNTS PAYABLE 145-2020 ACCOUNTS PAYABLE 200-2020 ACCOUNTS PAYABLE 301-2020 ACCOUNTS PAYABLE 500-2020 ACCOUNTS PAYABLE 510-2020 ACCOUNTS PAYABLE 510-2020 ACCOUNTS PAYABLE 510-2020 ACCOUNTS PAYABLE		000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	
TO POOLE		0 0 0	0.00	00.00	
DUE FROM OTHER FUNDS					
399-1330 DUE FROM OTHER FUNDS		00.00	0.00	00.00	
COTAL DUE FROM OTHER FUNDS		0.00	0.00	00.0	
ACCOUNTS PAYABLE - POOLED CASH					
399-2020 ACCOUNTS PAYABLE CONTROL		0.00	0.00	0.00	
COTAL ACCOUNTS PAYABLE POOLED CASH		0.00	0.00	0.00	
*** PROOF CASH BALANCES ***					
(A) SLAIM ON CASH 2,933,062.63 SASH IN BANK 2,933,062.63 DIFFERENCE 0.00	(B) CLAIM ON CASH DUE TO OTHER FUNDS	2,933,062.63 2,933,062.63 0.00	(C) CASH DUE T	IN BANK O OTHER FUNDS	2,933,062.63 2,933,062.63 0.00
*** PROOF ACCOUNTS PAYABLE BALANCES ***	* 1				
(D) AP PENDING OUE FROM OTHER FUNDS 0.00 DIFFERENCE 0.00	(E) AP PENDING ACCOUNTS PAYABLE	00.0	(E) DUE FROM 10 ACCOUNTS	M OTHER FUNDS 'S PAYABLE	0.00
*** PROGRA 40 CINA ***					

\*\*\* END OF REPORT \*\*\*

. <del>,1</del>			ភិ		0	(7)	9	0	00	T.	00	(3)	2	9,	6	89	1	25	
PAGE:			ACCRUAL ENDING	CASH BALANCE	790,576.50	11,871.67)	123,216.86	263,200.10	00.00	741,319.61	00.00	(804.23)	428,161.12	218,105.76	9,405.39	8,957.58		2,552,267.02	
			NET CHANGE	LIABILITIES	2,191.76)	00.00	00.00	00.00	00.0	00.00	00.00	00.0	00.00	00.0	00.0	00.00		2,191.76)	
			NET CHANGE	OTHER ASSETS	60.02 (	00.00	00.00	00.00	00.00	00.00	00.0	00.00	00.00	00.00	00.00	00.00		60.02 (	
IDE	PORT	TH, 2019	CASH BASIS	BALANCE	792,828.28	11,871.67)	123,216.86	263,200.10	00.0	741,319.61	00.0	18,804.23)	428,161.12	218,105.76	9,405.39	8,957.58		2,554,518.80	
CITY OF RIVERSIDE	MTD TREASURERS REPORT	AS OF: SEPTEMBER 30TH, 2019	M-T-D	EXPENSES	42,864.35	7,502.51 (	65.48	00.00	00.00	6,290.00	00.00	667,775.02 (	17,862.24	19,290.28	2,114.25	00.00		763,764.13	
	M	AS	M-T-D	REVENUES	25,102.95	00.00	14,267.35	9,635.02	00:00	89,071.39	00.00	159,771.82	43,700.31	39,642.46	2,059.24	1,575.81		384,826.35	
			BEGINNING	CASH BALANCE	810,589.68	(4,369.16)	109,014.99	253,565.08	00.0	658,538.22	00.0	489,198.97	402,323.05	197,753.58	9,460.40	7,381.77		2,933,456.58	
.0-17-2019 03:25 PM				UND	001-GENERAL FUND	002-FIRE DEPARTMENT	110-ROAD USE TAX	121-LOCAL OPTION SALES TAX	125-TIF	145-CASINO REVENUE FUND	200-DEBT SERVICE	301-CAPITAL PROJECTS	600-WATER FUND	610-SEWER FUND	670-LANDFILL/GARBAGE	680-STORM WATER		FRAND TOTAL	

\*\*\* END OF REPORT \*\*\*

7

.0-17-2019 03:39 PM	ERSIDE			PAGE: 1
	AS OF: SEPTEMBER 30TH, 2019	î		
	BEGINNING	CURRENT	CURRENT	
UND ACCOUNT# ACCOUNT NAME	BALANCE	ACTIVITY	BALANCE	
LAIM ON CASH				
01-1110 CHECKING ACCT-GENERAL FUND	810,589.68 (	20,013.18)	790,576.50	
02-1110 CHECKING ACCT-FIRE DEP.	( 4,369.16)(	7,502.51)(	11,871.67)	
.10-1110 CHECKING ACCT-ROAD USE TAX	109,014.99	14,201.87	123,216.86	
.21-1110 CHECKING ACCT-LOST	253,565.08	9,635.02	263,200.10	
.25-1110 CHECKING ACCT-TIF	00.0	0.00	00.0	
.45-1110 CHECKING ACCT-CASINO REVENUE	658,538.22	82,781.39	741,319.61	
00-1110 CHECKING ACCT-DEBT SERVICE	00.00	00.0	00.0	
CHECKING	489,198.97 (	508,003.20)(	18,804.23)	
300-1110 CHECKING ACCT-WATER	402,323.05	25,838.07	428,161.12	
510-1110 CHECKING ACCT-SEWER	197,753.58	20,352.18	218,105.76	
570-1110 CHECKING ACCT-GARBAGE	-	55.01)	9,405.39	
380-1110 CHECKING ACCI-STORM WATER	7,381.77	1,575.81	8,957.58	
OTAL CLAIM ON CASH	2,933,456.58 (	381,189.56)	2,552,267.02	
8				
LASH IN BANK - POOLED CASH				
999-1110 CASH IN BANK	51,245.90	112,656.53	163,902.43	
999-1112 PEOPLES BANK MONEY MARKET	1,833,797.91 (	517,386.30)	1,316,411.61	
999-1114 HILLS BANK	16,208.33	16,432.66	32,640.99	
999-1115 CB FUND	427.62 (	5.05)	422.57	
999-1116 COMMUNITY BUILDING CD #18936		00.00	289,714.52	
999-1117 COMMUNITY BUILDING CD#18975	281,174.90	00.00	281,174.90	
999-1118 WATER RESERVES CD#921190	250,000.00	00.00	250,000.00	
999-1119 COMMUNITY BUILDING CD#19068	218,000.00	00.00	218,000.00	
SUBTOTAL CASH IN BANK - POOLED CASH	2,940,569.18 (	388,302.16)	2,552,267.02	
WAGES PAYABLE				
999-2010 WAGES PAYABLE	7,112.60 (	7,112.60)	00.0	
SUBTOTAL WAGES PAYABLE	7,112.60 (	7,112.60)	00.00	
FOTAL CASH IN BANK - POOLED CASH	2,933,456.58 (	381,189.56)	2,552,267.02	
OUE TO OTHER FUNDS - POOLED CASH				
399-2100 DUE TO OTHER FUNDS	2,933,456.58 (	381,189.56)	2,552,267.02	

2,552,267.02 2,552,267.02 0.00

CASH IN BANK DUE TO OTHER FUNDS

2,552,267.02

CLAIM ON CASH DUE TO OTHER FUNDS

2,552,267.02 2,552,267.02 0.00

DIFFERENCE

CLAIM ON CASH

(B)

\*\*\* PROOF CASH BALANCES \*\*\*

(C

10-17-2019 03:39 PM POO	CITY OF RIVERSIDE POOLED CASH REPORT (FUND 999) AS OF: SEPTEMBER 30TH, 2019	RIVERSIDE PORT (FUND 999) ER 30TH, 2019	1		PAGE: 2	
FUND ACCOUNT# ACCOUNT NAME	BEGINNING BALANCE		CURRENT	CURRENT		
OUE TO POOLED CASH						
001-2020 ACCOUNTS PAYABLE		00.00	00.00	00.00		
ACCOUNTS		0.00	0.00	00.0		
ACCOUNTS		0.00	00.0	00.0		
125-2020 ACCOUNTS PAYABLE		00.0	0.00	00.0		
ACCOUNTS		00.0	00.0	00.0		
200-2020 ACCOUNTS PAYABLE		00.00	00.00	00.00		
301-2020 ACCOUNTS PAYABLE		0.00	00.00	00.00		
500-2020 ACCOUNTS PAYABLE		00.00	00.00	00.00		
510-2020 ACCOUNTS PAYABLE		00.00	00.00	00.0		
570-2020 ACCOUNTS PAYABLE		00.00	00.00	00.00		
580-2020 ACCOUNTS PAYABLE		0.00	00.00	00.00		
rotal Due to pooled cash		00.00	00.00	00.0		
DUE FROM OTHER FUNDS	a and a					
399-1330 DUE FROM OTHER FUNDS		0.00	00.00	00.0		
IOTAL DUE FROM OTHER FUNDS		00.00	00.00	0.00		
ACCOUNTS PAYABLE - POOLED CASH						
399-2020 ACCOUNTS PAYABLE CONTROL		0.00	00.00	0.00		
FOTAL ACCOUNTS PAYABLE POOLED CASH		00.00	00.00	00.0		



Date: October 14, 2019

To: Riverside Council

From: Bill Stukey, Operator

O & M Report: September 2019

### Water Operation & Maintenance

- > Flushed hydrant at 4<sup>th</sup> St and Boise for rusty water complaint at 261 W 4<sup>th</sup> St. This area of town's water main isn't looped and is more susceptible to rusty water.
- Flow test hydrant by Stutsman's for fire protection to possible wedding hall being built next to the bike trail.
- Cleaned drainage ditch next to water plant road.
- > Met with Altorfer and Cummins on obtaining bids for a generator at City Hall.
- Inspected a water main tie in on Sycamore St. This was a change order that required the main be moved to make room for a box culvert. All customers affected were notified and bacteria samples were collected after completion. All samples came back clean.
- Some of the excess rock removed from St. Mary's St. was taken to help build up the road for well
  The road is covered with gravel and rough graded at this time and is usable.
- > 26 regular locates, 3 emergency locates completed.

### **Wastewater Operation & Maintenance**

A power outage on September 3<sup>rd</sup> took out a dissolved oxygen controller for the west basin at the wastewater plant. The basin was removed from D.O. mode and placed in timed mode. Timed mode still allows the basin to operate but not as efficiently. I obtained a quote from Insite for \$1500 and was approved to purchase by Christine. The new controller has been received and placed in service.

Discover The Power Of People

www.peopleservice.com





- After the power outage in town from a transformer going out, I ordered 400 gallons of fuel from Kalona Oil and filled the generators at Lift Stations 2, 3 and 4.
- Sewer repair at 513 Hickory St. was completed by Triple B Construction. The lateral was hit twice during construction for the highway 22 project. The repairs were not done properly and caused the sewer to plug. I completed my inspection after Triple B made the correct repairs.
- ➤ Lift Station 5 Omni site has been updated and replaced. This unit was too old to update to 4G and required replacement.

### Iowa Department of Natural Resources


 $\triangleright$ 











Cor	ntract True-Ups - Curre	nt Contract Year		
Item	Budgeted Amount	Amount Spent	% of Budget	% of Time
Chemical Budget	\$25,670.00	\$5,459.15	21%	25%
Maintenance Budget	\$21,391.00	\$4,224.48	20%	25%
Total	\$47,061.00	\$9,683.63	21%	25%

# People Service INC. Water & Wastewater Professionals

VVal	er or yvastewa	September-19	August-19	September-18
	Mode	Sebiempei-13	August-15	September-10
Water	Units	4 400 000	4 702 000	4 504 000
Total Monthly Pumped	gallons	4,490,000	4,763,000	4,584,000
Average Daily Pumped	gallons	149,670	153,650	152,800
Maximum Daily Pumped	gallons	228,000	224,000	253,000
Minimum Daily Pumped	gallons	102,000	108,000	118,000
Chlorine				
Chlorine - Total Avg Residual Plant	mg/L	1.04	0.82	1.87
Chlorine - Total Avg Residual System	mg/L	1.10	0.89	1.36
Chlorine - Recommended Residual System	mg/L	0.30	0.30	0.30
Chlorine used	lbs	166.00	172.00	169.00
Iron				
Iron - Avg Raw	mg/L	2.03	1.86	2.29
Polyphosphate	100			
Polyphosphate - Avg Residual	mg/L	1.40	1.32	1.38
Polyphosphate - Recommended Residual	mg/L	0.5 - 2.0	0.5 - 2.0	0.5 - 2.0
Polyphosphate used	lbs	20.50	30.50	9.00
Water Loss				
Water Billed	gallons	4,297,394	4,461,479	4,147,397
Water used in main breaks/hydrant flushin	gallons	20,000	15,000	20,000
Water used at city buildings	gallons	96,600	145,011	10,000
Loss	gallons	12%	7%	9%
Wastewater	The state of the s	***		
BOD				
BOD Influent Avg	mg/L	383	293	265
BOD Effluent Avg				
	l ma/l	1 () 1	0.5	i
	mg/L mg/l	25	0.5 25	1 25
BOD Eff Permit Limit - 30 Day Avg	mg/L_	25	25	25
BOD Eff Permit Limit - 30 Day Avg BOD % Removal	mg/L %	25 99.99%	25 99.82%	25 99.57%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit	mg/L_	25	25	25
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS	mg/L % %	25 99.99% 85%	25 99.82% 85%	25 99.57% 85%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg	mg/L % % mg/L	25 99.99% 85% 268	25 99.82% 85% 222	25 99.57% 85% 212
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg	mg/L % % mg/L mg/L	25 99.99% 85% 268 0	25 99.82% 85% 222 5	25 99.57% 85% 212 1
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg	mg/L % % mg/L mg/L mg/L	25 99.99% 85% 268 0	25 99.82% 85% 222 5 30	25 99.57% 85% 212 1 30
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal	mg/L % % mg/L mg/L mg/Lmg/L	25 99.99% 85% 268 0 30 99.85%	25 99.82% 85% 222 5 	25 99.57% 85% 212 1 30 99.64%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit	mg/L % % mg/L mg/L mg/L	25 99.99% 85% 268 0	25 99.82% 85% 222 5 30	25 99.57% 85% 212 1 30
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia	mg/L % % mg/L mg/L mg/L % % %	25 99.99% 85% 268 0 30 99.85% 85%	25 99.82% 85% 222 5 30 97.83% 85%	25 99.57% 85% 212 1 30 99.64% 85%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg	mg/L % mg/L mg/L mg/L % % mg/L mg/L mg/L	25 99.99% 85% 268 0 30 99.85% 85%	25 99.82% 85% 222 5 - 30 97.83% 85%	25 99.57% 85% 212 1 30 99.64% 85%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg	mg/L % % mg/L mg/L mg/L % % %	25 99.99% 85% 268 0 30 99.85% 85%	25 99.82% 85% 222 5 30 97.83% 85%	25 99.57% 85% 212 1 30 99.64% 85%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg Influent Flow	mg/L % mg/L mg/L mg/L % % mg/L mg/L % mg/L	25 99.99% 85% 268 0 30 99.85% 85%	25 99.82% 85% 222 5 30 97.83% 85%	25 99.57% 85% 212 1 30 99.64% 85%
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg Influent Flow Total Monthly	mg/L % mg/L mg/L mg/L % % mg/L gallons	25 99.99% 85% 268 0 30 99.85% 85% 0 5	25 99.82% 85% 222 5 30 97.83% 85% 0 5	25 99.57% 85% 212 1 30 99.64% 85% 0 5
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg Influent Flow Total Monthly Average Daily	mg/L % mg/L mg/L mg/L % % % mg/L gallons gallons	25 99.99% 85% 268 0 30 99.85% 85% 0 5	25 99.82% 85% 222 5 - 30 97.83% 85% 0 5 5,846,300 188,590	25 99.57% 85% 212 1 30 99.64% 85% 0 5 8,065,500 268,850
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg Influent Flow Total Monthly Average Daily Maximum Daily	mg/L % mg/L mg/L mg/L % % mg/L gallons gallons gallons	25 99.99% 85% 268 0 30 99.85% 85% 0 5 5,967,300 198,910 1,044,200	25 99.82% 85% 222 5 -30 97.83% 85% 0 5 5,846,300 188,590 462,200	25 99.57% 85% 212 1 30 99.64% 85% 0 5 8,065,500 268,850 834,000
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg Influent Flow Total Monthly Average Daily Maximum Daily Minimum Daily	mg/L % mg/L mg/L mg/L % % mg/L gallons gallons gallons gallons	25 99.99% 85% 268 0 30 99.85% 85% 0 5 5,967,300 198,910 1,044,200 121,100	25 99.82% 85% 222 5 -30 97.83% 85% 0 5 5,846,300 188,590 462,200 119,100	25 99.57% 85% 212 1 30 99.64% 85% 0 5 8,065,500 268,850 834,000 116,300
BOD Eff Permit Limit - 30 Day Avg BOD % Removal BOD % Removal Permit Limit TSS TSS Influent Avg TSS Effluent Avg TSS Effluent Permit Limit - 30 Day Avg TSS % Removal TSS % Removal Permit Limit Nitrogen Ammonia NA Effluent Avg NA Effluent Permit Limit - 30 Day Avg Influent Flow Total Monthly Average Daily Maximum Daily	mg/L % mg/L mg/L mg/L % % mg/L gallons gallons gallons	25 99.99% 85% 268 0 30 99.85% 85% 0 5 5,967,300 198,910 1,044,200	25 99.82% 85% 222 5 -30 97.83% 85% 0 5 5,846,300 188,590 462,200	25 99.57% 85% 212 1 30 99.64% 85% 0 5 8,065,500 268,850 834,000



www.peopleservice.com



### **Water Plant Maintenance**

<u>Date</u>	Vendor List	Description	<u>Total</u>
9/12/19 9/21/19 9/23/19	Rhino Industries First National Bank, VISA Schnoebelen	Filters Supplies Mail equipment for repair	\$1,270.00 \$39.41 \$76.20
		Total	\$1,385.61
	Water System Mai	ntenance	
<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
		Total	\$0.00
	Wastewater Plant Ma	aintenance	
<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
9/21/19 9/23/19	First National Bank, VISA Schnoebelen	Supplies Mail equipment for repair	\$217.76 \$76.20
		Total	\$293.96
	Wastewater System I	Maintenance	• -
Date	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
9/21/19	First National Bank, VISA Schnoebelen	Supplies Mail equipment for repair	\$8.01 \$76.21
9/23/19	Schloenelen	Total	\$84.22
		i otai	77
	Water Plant Maintenance Water System Maintenance W/W Plant Maintenance W/W System Maintenance Month Total	\$1,385.61 \$0.00 \$293.96 \$84.22 \$1,763.79	

Discover The Power Of People

**Annual Maintenance Budget** 

www.peopleservice.com

\$21,391.00



Total Maintenance Dollars Spent Year to Date \$4,224.48

Percent Maintenance Budget Spent Year to Date

20%

Discover The Power Of People

www.peopleservice.com



### **Water System Chemicals**

<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
9/3/19 9/3/19 9/3/19	Hawkins Hawkins Hawkins	Sodium Hypochlorite Caustic Anti-Scalant	\$483.75 \$869.00 \$2,770.00
		Total	\$4,122.75
	Wastewater Sys	stem Chemicals	
<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
		Total	\$0.00
	Water System Chemicals W/W System Chemicals Month Total	\$4,122.75 \$0.00 \$4,122.75	
	Annual Chemical Budget	\$25,670.00	
	Total Chemical Dollars Spent Year to Date	\$5,459.15	
	Percent Chemical Budget Spent Year to Date	21%	
	Maintenance Month Total Chemical Month Total Month Total	\$1,763.79 \$4,122.75 \$5,886.54	
	Annual Budget	\$47,061.00	
	Total Spent Year to Date	\$9,683.63	
	Percent Budget Spent Year to Date	21%	







### **Completed Work Order List Report**

Completed	Equipment Name	Task	WO#
9/10/2019	5310-BLOWERS 1,2,3	MONTHLY PREVENTATIVE MAINTENANCE	17213
9/10/2019	5310-FE	MONTHLY PREVENTATIVE MAINTENANCE	17212
9/10/2019	5310-GEN	MONTHLY PREVENTATIVE MAINTENANCE	17211
9/9/2019	5310-LS-1	ANNUAL PM	17210
9/9/2019	5310-LS-1	MONTHLY-PM	17207
9/9/2019	5310-LS-2	ANNUAL PM	17210
9/9/2019	5310-LS-2	MONTHLY-PM	17207
9/9/2019	5310-LS-3	ANNUAL PM	17210
9/9/2019	5310-LS-3	MONTHLY-PM	17207
9/9/2019	5310-LS-4	ANNUAL PM	17210
9/9/2019	5310-LS-4	MONTHLY-PM	17207
9/9/2019	5310-LS-5	ANNUAL PM	17210
9/9/2019	5310-LS-5	MONTHLY-PM	17207
9/9/2019	5310-LS-MAIN	ANNUAL PM	17209
9/9/2019	5310-LS-MAIN	MONTHLY-PM	17208
9/10/2019	5310-SAMP-EFF	MONTHLY PREVENTATIVE MAINTENANCE	17206
9/10/2019	5310-SAMP-INF	MONTHLY PREVENTATIVE MAINTENANCE	17180
9/9/2019	5310-SCREEN	MONTHLY PREVENTATIVE MAINTENANCE	17205
9/10/2019	5310-UV	MONTHLY PREVENTATIVE MAINTENANCE	17204
9/10/2019	6310-AER	BIANNUAL PM	17189
9/9/2019	6310-BUG FILTER 1 & 2	MONTHLY PREVENTATIVE MAINTENANCE	17188
9/9/2019	6310-CARTRIDGE FILTERS 1,2,3	MONTHLY PREVENTATIVE MAINTENANCE	17187
9/9/2019	6310-DEH	MONTHLY PREVENTATIVE MAINTENANCE	17186
9/9/2019	6310-FE	MONTHLY PREVENTATIVE MAINTENANCE	17185
9/9/2019	6310-GEN	MONTHLY PREVENTATIVE MAINTENANCE	17184
9/9/2019	6310-HIGH SERVICE PUMPS 1,2,3,4	MONTHLY PREVENTATIVE MAINTENANCE	17183
9/10/2019	6310-HTR	PREVENTATIVE MAINTENANCE	17182

### Water Tower Sidewalk and Driveway Concrete Bids

### Specs:

104'x4'x4" sidewalk. 16'x4'x6" sidewalk. 178.5 sq. ft. of 6" for driveway apron.

Utzinger-\$3,538

Brendan Serum- \$3,500

Curtis Sexton- \$3,500

For: Sidewalks and Approach

1319 331 3467

Proposal

Utzinger Epoxy and Concrete 1595 Hwy 1 Washington IA 52353

Phone: 319 - 325-4096

Date: October 6, 2019

\$3538.00

To: The City of Riverside

WUM

DESCRIPTION	HOURS	RATE	AMOUNT
416 sq ft 4" sidewalks x \$5.00 sq ft			\$2080,00
64 sq ft 6" sidewalks - throw drive x 6.00 sq ft			\$384.00
179 sq ft 6" approach x \$6.00 sq ft			\$1074.00
		veni de la company	
Price does not include fill to bring slabs to grade or			
Backfilling of slabs			
			Will have

Thank you for your business!



# FOR YOUTH DEVELOPMENT® FOR HEALTHY LIVING FOR SOCIAL RESPONSIBILITY

# Camp Highland Summer 2019 June 10, 2019 to August 2, 2019

Month	# of Campers	Resident/Non Resident
June	34	30/4
July	31	25/6
August	35	30/5

Nonresident kids: 2 Kalona, 1 Columbus Junctions, 2 Lone Tree & 1 Iowa City In 2018 averaged 20 kids, in 2017 averaged 32 kids; 2016 we averaged 21 kids per week

Three families applied for the scholarship program, each were given a 25% discount off of the rates. One of the families had two children attend camp so they were given the scholarship discount and the second child discount rate as well.

Scholarships given in 2019 \$593.02 Scholarships given in 2018 \$397.50

Multi-child discounts were given to 13 families for a total of \$2,034.54

2019 earnings of \$2,887.25 before grant funds 2018 loss of \$10,706.25 before grant funds 2017 loss of \$952.93 before grant funds 2016 loss of \$676.01 before grant funds

The 15 passenger van that was purchased in 2017 was used for transporting the Camp Highland participants to and from activities and swim lessons in Kalona.

The use of the kitchen for storage was a tremendous help for our staff and the program!! – Thank you

### YMCA of WASHINGTON COUNTY IOWA

121 E Main Street Washington, Iowa 52353

Phone: 319-653-2141 Fax: 319-653-2142 www.washingtony.org



### FOR YOUTH DEVELOPMENT® FOR HEALTHY LIVING FOR SOCIAL RESPONSIBILITY

### Questions/concerns looking forward:

- 1. Increased enrollment
  - Need for additional space
  - 35 kids in a gym all day is not ideal
  - Ability to split the older kids and younger kids to do more age appropriate activities
- 2. Communication between camp and summer school:
  - Daily schedule for playground and facilities use
  - Rules/expectations from school for playground, indoor activities etc.

### YMCA of WASHINGTON COUNTY IOWA

121 E Main Street Washington, Iowa 52353

Phone: 319-653-2141 Fax: 319-653-2142 www.washingtony.org



1917 S. Gilbert Street Iowa City, Iowa 52240

319.351.8282

mmsconsultants.net mms@mmsconsultants.net

October 16, 2019

2245-043

Mayor Allen Schneider and City Council City of Riverside 60 North Greene Street Riverside, IA 52327

Re: Ash/Tupelo Street Improvements Project - Extension of Completion Date

The start of this project was delayed by utility relocations. We held a preconstruction meeting on April 24, 2019 and the contractor was ready to begin work on or around May 1. At the preconstruction meeting, some additional utility conflicts were identified. These utilities needed to be relocated before work could start.

The utility relocations were completed by the middle of June and the contractor wanted to start work at the end of June. The City requested that the Contractor wait until after Trek Fest to close the road. The road was closed and work started on July 1.

Since the start of the project was delayed from May 1<sup>st</sup> to July 1<sup>st</sup> it makes sense to extend the completion date for the project by 2 months. The contract completion date is September 13, 2019. Extending the completion date 2 months would be November 13. I think the completion date should be on a Friday so the following Friday is November 15.

I recommend that the City Council extend the completion date for this project to November 15, 2019.

Feel free to contact me with any questions.

Respectfully Submitted,

Scott Pottorff, P.E. MMS Consultants, Inc.

T:\2245\2245-043\2245043L1.docx

### **Becky**

From:

Scott Pottorff <S.pottorff@mmsconsultants.net>

Sent:

Wednesday, October 16, 2019 10:25 AM

To:

admin@cityofriversideiowa.com; becky@cityofriversideiowa.com

Cc:

mayor@cityofriversideiowa.com

Subject:

Safe Routes to School Project

We should probably have an item to re-approve the plans for the Safe Routes to School project. I am making a few changes (updating the information to show the elevations to tie the sidewalk in to based on as-built elevations for the Ash/Tupelo project) and need to have the final plans sent to the DOT by Tuesday next week. I am trying to get them to the DOT by the end of this week to have a couple extra days for them to review. I won't have them updated in time of the packets but hopefully will have them updated in time for the meeting Monday night.

Let me know if you have any questions on this.



### Scott Pottorff, P.E.

**Project Manager**Ofc: (319) 351-8282
Direct: (319) 339-4153

Cell: (319) 631-0365

S.pottorff@mmsconsultants.net

mmsconsultants.net

This email message is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.

RIVERSIDE, IOWA

# FOR SALE

# Development Opportunity Land Development

Highway 22 & Commercial Drive

### PROPERTY INFORMATION

► 6.9 Acres of Development Land For Sale

Sale Price: \$3.00 PSF

### REDUCED TO \$1.50 PSF



- Excellent Site For General Retail, Office, Restaurants, and Hotel Users
- Utilities to Sites
- ► Easy Access to Highway 22 & 218
- Located 15 Miles South of Iowa City, 30 Miles to Muscatine, and 35 Miles to Mt. Pleasant
- Close Proximity to New Area Development to Include Medical/Dental Office and New Convenience Stores
- Daily Traffic Counts (2010)
  - ♦ HWY 22 6,700 VPD
  - ♦ HWY 218 19,200 VPD



AVAILA	<u>BLE ZOTTEZ</u>		11.00
LOT-	AGREST TA	SAUS DENCE	COMMENTS
LOT 1	0.75 Acres	\$49,005	\$1.50 PSF
LOT 2	2.83 Acres	\$184,913	\$1.50 PSF
LOT 3	3.32 Acres	\$216,929	\$1.50 PSF

\*All three lots can be combined to one user if needed


Powcel# 04-09-451-009

67# dural# 04-09-451-010

Lot#3- David # 04-09-451-002

2 9.75 166,428.98/41

## **Beacon** Washington County, IA



Date created: 10/15/2019 Last Data Uploaded: 10/15/2019 2:13:06 AM

Developed by Schneider

paid property saves currently

#### CHAPTER 63

### SPEED REGULATIONS

63.01 General 63.02 State Code Speed Limits 63.03 Parks, Cemeteries, and Parking Lots 63.04 Special Speed Zones 63.05 Minimum Speed 63.06 Controlled Access Facilities

63.01 GENERAL. Every driver of a motor vehicle on a street shall drive the same at a careful and prudent speed not greater than nor less than is reasonable and proper, having due regard to the traffic, surface and width of the street and of any other conditions then existing, and no person shall drive a vehicle on any street at a speed greater than will permit said driver to bring it to a stop within the assured clear distance ahead, such driver having the right to assume, however, that all persons using said street will observe the law.

(Code of Iowa, Sec. 321.285)

63.02 STATE CODE SPEED LIMITS. The following speed limits are established in Section 321.285 of the *Code of Iowa* and any speed in excess thereof is unlawful unless specifically designated otherwise in this chapter as a special speed zone. Within the City Limits of Riverside, Iowa, all speed limits, unless otherwise noted, shall be twenty-five (25) miles per hour.

- 1. Business District twenty (20) miles per hour.
- 2. Residence or School District twenty five (25) miles per hour.
- Suburban District forty-five (45) miles per hour.

63.03 PARKS, CEMETERIES, AND PARKING LOTS. A speed in excess of fifteen (15) miles per hour in any public park, cemetery, or parking lot, unless specifically designated otherwise in this chapter, is unlawful.

(Code of Iowa, Sec. 321.236[5])

63.04 SPECIAL SPEED ZONES. In accordance with requirements of the Iowa Department of Transportation, or whenever the Council shall determine upon the basis of an engineering and traffic investigation that any speed limit listed in Section 63.02 is greater or less than is reasonable or safe under the conditions found to exist at any intersection or other place or upon any part of the City street system, the Council shall determine and adopt by ordinance such higher or lower speed limit as it deems reasonable and safe at such location. The following special speed zones have been established:

(Code of Iowa, Sec. 321.290)

- 1. Special 15 MPH Speed Zones. A speed in excess of fifteen (15) miles per hour is unlawful on any of the following designated streets or parts thereof.
  - A. Schnoebelen Street;
  - B. Buckeye Lane;
  - C. Kleopfer Avenue;
  - D. Cherry Lane;
  - E. Galileo Drive.

### NOTICE OF PUBLIC HEARING FOR THE CITY COUNCIL OF THE CITY OF RIVERSIDE, IOWA

The City Council of the City of Riverside, Iowa will hold a public hearing for the purpose of selling parcel 04-08-355-015 located Blackberry Ave. to Allen J. and Katie L Schneider in the amount of \$1500.00 plus legal fees. The Public Hearing will be held during the City Council meeting on Monday, October 21<sup>st</sup>, 2019 which begins at 6:30 p.m., at City of Riverside City Hall.

All interested persons are invited to attend the public hearing and to offer comments, orally or in writing, in support of or in opposition of the sale. Written comments may be submitted to the Riverside City Clerk, P.O. Box 188, Riverside, IA 52327-0188, in advance of the public hearing. Any questions regarding the sale of property may also be directed to City Hall.

This notice is published at the direction of the City Council for the City of Riverside, Iowa.

Becky LaRoche

City Clerk

Julish mand gap ?

Lunco Sarp?

Prepared by and return to: Becky LaRoche, City Clerk, City of Riverside, PO Box 188, Riverside, IA 52327 319-648-3501

## RESOLUTION# 102/19-01

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF RIVERSIDE, IOWA, AUTHORIZING THE SALE OF PROPERTY ACCORDING TO SECTION 364.7 OF THE CODE OF IOWA.

Whereas, the City of Riverside is the owner of certain real estate located in the area formerly known as Well #5, 4800 square feet located near Blackberry Avenue. Described as N ADD E 40 FT S 110.9 FT N 120.4 FT LOT 3 BLK B.				
Whereas, has expressed a desire to purchase approximately 4800 square feet of the above described property				
Whereas, the City of Riverside has published notice as provided in section 362.3 of the Code of Iowa for the sale of public property and has held a public hearing or the 21 <sup>st</sup> of October, 2019, and there being no objections to such sale.				
NOW, THEREFORE BE IT RESOLVED by the City Council of Riverside Iowa, that the sale of approximately 4800 square feet of such property as described above, at the value of \$, subject to final survey and the purchaser paying all costs associated with the sale of the property. The sale of this property is hereby authorized and approved. The City Administrator is authorized to sign all necessary documents and execute the deed for the same terms. The City Attorney is further directed to promptly take all necessary steps to complete the sale and transfer of real estate to				
Roll Call:				
Ayes: Nays:				

Absent:				
Passed and approved this 21 <sup>ST</sup> day of October, 2019.				
	Allen Schneider, Mayor			
Attest;				
Becky LaRoche, City Clerk				



October 8, 2019

Dennis and Diane Schultz 209 Schnoebelen Street Riverside, IA 52327

Dennis and Diane:

On behalf of the City, I wanted to let you know that the mayor, council and staff are hoping for a speedy recovery for Diane. We understand this can be a stressful situation for your family.

Council did take formal action, and at this point the dog at the center of the issue has not been labeled "vicious". However, there are three stipulations that will be required:

- Written proof of current vaccinations provided to the City by Friday, October 11<sup>th</sup> at 4:30 p.m.
- Written proof of evaluations from the two veterinarians regarding the aggressiveness of the dog.
- 6' wooden privacy fence installed by 12/1/2019

Council did make it clear that if these conditions are not met, and if the dog should be out of the fenced back yard and not on a leash being controlled, the situation will be revisited by council for possible further action. Council would also like an evaluation by Paws and More out of Washington, which the city can work with you to arrange.

I look forward to seeing you on Friday with the requested documents, and bringing this matter to a close.

Thank you

Christine Yancey City Administrator

City of Riverside

admin@cityofriversideiowa.com